

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"3701916".pn.	EPO; DERWENT	OR	ON	2006/01/18 14:14
L2	165	361/6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:48
L3	232	361/8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:56
L4	600	361/13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:57
L5	2420	361/56.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:58
L6	989	361/160.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:57
L7	33	("5933304" "4704652" "4745511" "4598330" "5790354" "3242040" "0072342" "72342" "0660348" "660348" "3701916").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:00
L8	684	307/125.ccls.	US-PGPUB; USPAT	OR	ON	2006/01/18 15:04
L10	398	307/130.ccls.	US-PGPUB; USPAT	OR	ON	2006/01/18 15:06
L11	787	307/132R.ccls.	US-PGPUB; USPAT	OR	ON	2006/01/18 15:07
L13	678	307/140.ccls.	US-PGPUB; USPAT	OR	ON	2006/01/18 15:08
L14	203	307/143.ccls.	US-PGPUB; USPAT	OR	ON	2006/01/18 15:12

L15	127	361/6,8,13,56,160.ccls. and (relay same (switch switching) same parallel)	US-PGPUB; USPAT	OR	ON	2006/01/18 15:22
L16	23	15 and (voltage adj (detect\$4 sens\$4))	US-PGPUB; USPAT	OR	ON	2006/01/18 15:13
L17	44	15 and (voltage near2 (detect\$4 sens\$4))	US-PGPUB; USPAT	OR	ON	2006/01/18 15:14
L18	1921	(relay same (switch switching) same parallel) and (voltage near2 (detect\$4 sens\$4))	US-PGPUB; USPAT	OR	ON	2006/01/18 15:23
L19	925	(relay with (switch switching transistor) with parallel) and (voltage near2 (detect\$4 sens\$4))	US-PGPUB; USPAT	OR	ON	2006/01/18 15:24
L20	584	(relay with (switch switching transistor) with parallel) and (voltage near2 (detect\$4 sens\$4)) and (driver drive)	US-PGPUB; USPAT	OR	ON	2006/01/18 15:24
L21	88	(relay with (switch switching transistor) with parallel) and (voltage near2 (detect\$4 sens\$4)) and ((driver drive) adj (control\$4 device unit))	US-PGPUB; USPAT	OR	ON	2006/01/18 15:25
L22	0	("2005/0225920").URPN.	USPAT	OR	ON	2006/01/18 15:37
L23	276	307/139.ccls.	USPAT	OR	ON	2006/01/18 15:37
L24	94	hybrid adj relay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:38
L25	70	24 and (switch switching transistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:38
L26	41	25 and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:51
L27	155	(relay same (switch switching) same parallel) and (voltage near2 (detect\$4 sens\$4))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:52
L28	79	(relay with (switch switching transistor) with parallel) and (voltage near2 (detect\$4 sens\$4))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:53

L29	13	(relay with (switch switching transistor) with parallel) and (voltage near2 (detect\$4 sens\$4)) and (driver drive)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:53
L30	1	(relay with (switch switching transistor) with parallel) and (voltage near2 (detect\$4 sens\$4)) and ((driver drive) adj (control\$4 device unit))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:54